

## PBISApps Accessibility Conformance Report WCAG

(Based on VPAT® Version 2.4)

Name of Product/Version: SWIS Suite

Report Date: April 10, 2025

#### **Product Description:**

SWIS Suite is a web application that focuses on making effective decisions concerning student behavior.

#### **Contact Information:**

Email: support@pbisapps.org

#### **Notes:**

This is an early DRAFT report based on intitial findings.

#### **Evaluation Methods Used:**

SWIS Suite was evaluated using Chrome v. 135.0.7049.84 on a Windows 10 desktop computer. Assistive technologies used in this evaluation included WAVE (Web assessibility evaluation tool), as well as exclusive use of the keyboard to navigate and operate the site content and functionality.

#### Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)

#### Terms

The terms used in the Conformance Level information are defined as follows:

- Supports: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- $\bullet$   $\,$  Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

#### WCAG 2.1 Report

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.1 Conformance Requirements.

#### Table 1: Success Criteria, Level A

Notes:

# Principle 1: Perceivable Criteria Conformance Level Remarks and Explanations 1.1.1 Non-text Content (Level A) Partially Supports Some icons do not have alt. text

All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.		Dashboard graphs lack alt. text but link to a page with appropriate alt. text
Controls, Input: If non-text content is a control or accepts user input, then it has a name that describes		appropriate and text
its purpose. (Refer to Success Criterion 4.1.2 for additional requirements for controls and content that accepts user input.)		
Time-Based Media: If non-text content is time-based media, then text alternatives at least provide		
descriptive identification of the non-text content. (Refer to Guideline 1.2 for additional requirements for		
media.)		
Test: If non-text content is a test or exercise that would be invalid if presented in text, then text		
alternatives at least provide descriptive identification of the non-text content.		
Sensory: If non-text content is primarily intended to create a specific sensory experience, then text		
alternatives at least provide descriptive identification of the non-text content.		
CAPTCHA: If the purpose of non-text content is to confirm that content is being accessed by a person states than a computer, then text alternatives that identify and describe the purpose of the part text.		
rather than a computer, then text alternatives that identify and describe the purpose of the non-text content are provided, and alternative forms of CAPTCHA using output modes for different types of sensory		
perception are provided to accommodate different disabilities.		
Decoration, Formatting, Invisible: If non-text content is pure decoration, is used only for visual		
formatting, or is not presented to users, then it is implemented in a way that it can be ignored by assistive		
1.2.1 Audio-only and Video-only (Prerecorded) (Level A)	Not Applicable	The site does not contain prerecorded audio-only or
For prerecorded audio-only and prerecorded video-only media, the following are true, except when the		video-only media.
audio or video is a media alternative for text and is clearly labeled as such:		
Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent		
information for prerecorded audio-only content.		
Prerecorded Video-only: Either an alternative for time-based media or an audio track is provided that		
presents equivalent information for prerecorded video-only content.		
1.2.2 Captions (Prerecorded) (Level A)	Not Applicable	The site does not contain prerecorded synchronized
Captions are provided for all prerecorded audio content in synchronized media, except when the media is		media.
a media alternative for text and is clearly labeled as such.		
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Captions are provided for all live audio content in synchronized media.	Not Applicable	The site does not contain prerecorded video content that would require audio description or a media alternative.
		· ·
1.3.1 Info and Relationships (Level A)	Partially Supports	Most visual structure and relationship information is
Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.		clear, but there are some navigation items that are not.
1.3.2 Meaningful Sequence (Level A)	Supports	The site content is presented in a meaningful sequence.
When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.		
1.3.3 Sensory Characteristics (Level A)	Supports	Instructions do not rely solely on sensory characteristics.
Instructions provided for understanding and operating content do not rely solely on sensory characteristics		, , ,
of components such as shape, color, size, visual location, orientation, or sound.		
of components such as shape, color, size, visual location, orientation, or sound.	Supports	Site content and functionality does not convey
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.	Supports	Site content and functionality does not convey information through color alone.
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered	Supports	
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.		information through color alone.
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.  1.4.2 Audio Control (Level A)	Supports  Not Applicable	
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.  1.4.2 Audio Control (Level A)  If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available		information through color alone.
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.  1.4.2 Audio Control (Level A)  If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the		information through color alone.
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.  1.4.2 Audio Control (Level A)  If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.		information through color alone.
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.  1.4.2 Audio Control (Level A)  If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.  Note: Since any content that does not meet this success criterion can interfere with a user's ability to use		information through color alone.
of components such as shape, color, size, visual location, orientation, or sound.  Note: For requirements related to color, refer to Guideline 1.4.  1.4.1 Use of Color (Level A)  Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.  Note: This success criterion addresses color perception specifically. Other forms of perception are covered in Guideline 1.3 including programmatic access to color and other visual presentation coding.  1.4.2 Audio Control (Level A)  If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.		information through color alone.

## Principle 2: Operable

Criteria	Conformance Level	Remarks and Explanations
2.1.1 Keyboard (Level A)	Partially Supports	Drill-down report does not support keyboard interaction
All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.  *Note 1: This exception relates to the underlying function, not the input technique. For example, if using handwriting to enter text, the input technique (handwriting) requires path-dependent input but the underlying function (text input) does not.  *Note 2: This does not forbid and should not discourage providing mouse input or other input methods in addition to keyboard operation.		in all functions
2.1.2 No Keyboard Trap (Level A)	Supports	Drill-down report does not support keyboard interaction
If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.  **Note:** Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Web page (whether it is used to meet other success criteria or not)		in all functions
2.1.4 Character Key Shortcuts (Level A 2.1 only)	Not Applicable	The application does not use keyboard shortcuts.

If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case		
letters), punctuation, number, or symbol characters, then at least one of the following is true:		
Turn off: A mechanism is available to turn the shortcut off;		
Remap: A mechanism is available to remap the shortcut to include one or more non-printable keyboard  keys (a.g., Ctrl, Alt);		
keys (e.g., Ctrl, Alt);  • Active only on focus: The keyboard shortcut for a user interface		
component is only active when that component has focus.		
	Comments	
2.2.1 Timing Adjustable (Level A)	Supports	
For each time limit that is set by the content, at least one of the following is true:  • Turn off: The user is allowed to turn off the time limit before encountering it; or		
Adjust: The user is allowed to adjust the time limit before encountering it, or		
least ten times the length of the default setting; or		
Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit		
with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit		
at least ten times; or  • Real-time Exception: The time limit is a required part of a real-time event (for example, an auction),		
and no alternative to the time limit is possible; or		
Essential Exception: The time limit is essential and extending it would invalidate the activity; or		
20 Hour Exception: The time limit is longer than 20 hours.		
2.2.2 Pause, Stop, Hide (Level A)	Supports	The site does not include elements that move, blink,
For moving, blinking, scrolling, or auto-updating information, all of the following are true:		scroll, or auto-update.
Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts		
automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is		
a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and		
Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in		
parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the		
frequency of the update unless the auto-updating is part of an activity where it is essential.		
Note 1: For requirements related to flickering or flashing content, refer to Guideline 2.3.		
Note 2: Since any content that does not meet this success criterion can interfere with a user's ability to use the whole page, all content on the Web page (whether it is used to meet other success criteria or not)		
must meet this success criterion. See Conformance Requirement 5: Non-Interference.		
Note 3: Content that is updated periodically by software or that is streamed to the user agent is not		
required to preserve or present information that is generated or received between the initiation of the		
pause and resuming presentation, as this may not be technically possible, and in many situations could be		
misleading to do so.		
Note 4: An animation that occurs as part of a preload phase or similar situation can be considered essential if interaction cannot occur during that phase for all users and if not indicating progress could		
confuse users or cause them to think that content was frozen or		
2.3.1 Three Flashes or Below Threshold (Level A)	Not Applicable	The site does not contain flashing content.
Web pages do not contain anything that flashes more than three times in any one second period, or the		
flash is below the general flash and red flash thresholds.		
Note: Since any content that does not meet this success criterion can interfere with a user's ability to use		
the whole page, all content on the Web page (whether it is used to meet other success criteria or not) must meet this success criterion. See Conformance Requirement 5: Non-Interference.		
·	Dartially Cymparts	_
2.4.1 Bypass Blocks (Level A)	Partially Supports	
A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.		
2.4.2 Page Titled (Level A)	Supports	
Web pages have titles that describe topic or purpose.		
2.4.3 Focus Order (Level A)	Supports	The site's components receive focus in a meaningful
If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation,		order.
focusable components receive focus in an order that preserves meaning and operability.		
2.4.4 Link Purpose (In Context) (Level A)	Supports	The purpose of each link in the site can be determined
The purpose of each link can be determined from the link text alone or from the link text together with its		from the link text alone or from the programmatic
programmatically determined link context, except where the purpose of the link would be ambiguous to		context of the link.
users in general.		
2.5.1 Pointer Gestures (Level A 2.1 only)	Supports	The site does not rely on multipoint or path-based
All functionality that uses multipoint or path-based gestures for operation can be operated with a single		gestures.
pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.	ı	
2.5.2 Pointer Cancellation (Level A 2.1 only)	Supports	The site functions that use a single pointer are completed
For functionality that can be operated using a single pointer, at least one of the following is true:		when the user releases the pointer.
No Down-Event: The down-event of the pointer is not used to execute any part of the function;		
Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion as to under the function after completion.		
the function before completion or to undo the function after completion;  • Up Reversal: The up-event reverses any outcome of the preceding down-event;		
Essential: Completing the function on the down-event is essential.		
	Cupports	The accessible name of each user interface component
2.5.3 Label in Name (Level A 2.1 only)	Supports	The accessible name of each user interface component that includes a visible text label corresponds to that label
For user interface components with labels that include text or images of text, the name contains the text that is presented visually.		text.
2.5.4 Motion Actuation (Level A 2.1 only)	Not Applicable	The site does not have functionality operated by device
· · · · · · · · · · · · · · · · · · ·		metion or user metic:
Functionality that can be operated by device motion or user motion can also be operated by user interface		motion or user motion.
Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:	, , , , , , , , , , , , , , , , , , , ,	motion or user motion.
Functionality that can be operated by device motion or user motion can also be operated by user interface	, , , , , , , , , , , , , , , , , , , ,	motion or user motion.
Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:  • Supported Interface: The motion is used to operate functionality through an accessibility supported	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	motion or user motion.

Princip	le 3: l	<b>Jnde</b>	rstand	dable
---------	---------	-------------	--------	-------

Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page (Level A)	Does Not Support	The default language of the site's webpage is identified
The default human language of each Web page can be programmatically determined.	1	using the lang attribute in the html element.
3.2.1 On Focus (Level A)	Supports	The site's components do not initiate a change of context
When any user interface component receives focus, it does not initiate a change of context.		when focused.
3.2.2 On Input (Level A)	Supports	Changes of context do not occur automatically on user input.
Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.		
3.3.1 Error Identification (Level A)	Supports	Where errors are automatically detected, the error is
If an input error is automatically detected, the item that is in error is identified and the error is described	1	identified, and an error message is provided as text.
to the user in text.		
3.3.2 Labels or Instructions (Level A)	Supports	A label is provided for each of the site's input fields.
Labels or instructions are provided when content requires user input.		

### Principle 4: Robust

Criteria	Conformance Level	Remarks and Explanations
4.1.1 Parsing (Level A)	Supports	
In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.  Note: Start and end tags that are missing a critical character in their formation, such as a closing angle bracket or a mismatched attribute value quotation mark are not complete.		
4.1.2 Name, Role, Value (Level A)	Supports	
For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.  *Note: This success criterion is primarily for Web authors who develop or script their own user interface components. For example, standard HTML controls already meet this success criterion when used according to specification.		

#### Table 2: Success Criteria, Level AA

Notes

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Not Applicable	The site does not contain live synchronized media.
Captions are provided for all live audio content in synchronized media.		
1.2.5 Audio Description (Prerecorded) (Level AA)	Not Applicable	The site does not contain prerecorded video content that
Audio description is provided for all prerecorded video content in synchronized media.		would require audio description.
1.3.4 Orientation (Level AA 2.1 only)	Supports	The content of the site does not restrict its view and
Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.		operation to a single display orientation.
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Supports	
The purpose of each input field collecting information about the user can be programmatically determined when:  • The input field serves a purpose identified in the Input Purposes for User Interface Components section; and  • The content is implemented using technologies with support for identifying the expected meaning for		
1.4.3 Contrast (Minimum) (Level AA)	Partially Supports	
The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:  • Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1;  • Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.		
1.4.4 Resize text (Level AA)	Partial Supports	
Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.		
1.4.5 Images of Text (Level AA)	Supports	The site uses text instead of images of text.
If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text except for the following:  • Customizable: The image of text can be visually customized to the user's requirements;  • Essential: A particular presentation of text is essential to the information being conveyed.  Note: Logotypes (text that is part of a logo or brand name) are considered essential.		
1.4.10 Reflow (Level AA 2.1 only)	Does Not Support	The content on the site's webpage does not support

Content can be presented without loss of information or functionality, and without requiring scrolling in		reflow. Content cannot be viewed without horizontal
two dimensions for:  • Vertical scrolling content at a width equivalent to 320 CSS pixels;		scrolling in a viewport that is 320 pixels wide.
Horizontal scrolling content at a width equivalent to 226 CSS pixels;     Horizontal scrolling content at a height equivalent to 256 CSS pixels;		
Except for parts of the content which require two-dimensional layout for usage or meaning.		
1.4.11 Non-text Contrast (Level AA 2.1 only)	Supports	
Find the visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):  * User Interface Components: Visual information required to identify user interface components and		
states, except for inactive components or where the appearance of the component is determined by the		
user agent and not modified by the author;		
<ul> <li>Graphical Objects: Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.</li> </ul>		
1.4.12 Text Spacing (Level AA 2.1 only)	Supports	The spacing between letters, words, lines of text and/or
In content implemented using markup languages that support the following text style properties, no loss of		paragraphs can be adjusted in the site's webpage.
content or functionality occurs by setting all of the following and by changing no other style property:		
<ul> <li>Line height (line spacing) to at least 1.5 times the font size;</li> <li>Spacing following paragraphs to at least 2 times the font size;</li> </ul>		
Letter spacing (tracking) to at least 0.12 times the font size;		
<ul> <li>Word spacing to at least 0.16 times the font size.</li> <li>Exception: Human languages and scripts that do not make use of one or more of these text style properties</li> </ul>		
in written text can conform using only the properties that exist for that combination of language and		
1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Supports	The site does not contain content elements triggered by
Where receiving and then removing pointer hover or keyboard focus triggers additional content to become		hover or focus.
visible and then hidden, the following are true:  • Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover		
or keyboard focus, unless the additional content communicates an input error or does not obscure or		
replace other content;		
<ul> <li>Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing;</li> </ul>		
Persistent: The additional content remains visible until the hover or focus trigger is removed, the user		
dismisses it, or its information is no longer valid.		
Exception: The visual presentation of the additional content is controlled by the user agent and is not modified by the author.		
Criteria	Conformance Level	Remarks and Explanations
2.4.5 Multiple Ways (Level AA)	Partially Supports	
More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.		
2.4.6 Headings and Labels (Level AA)	Partially Supports	Most headings and labels in the site are descriptive.
Headings and labels describe topic or purpose.		
2.4.7 Focus Visible (Level AA)	Partially Supports	
Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.		
3.1.2 Language of Parts (Level AA)	Supports	Within the site's webpage, the language of each portion
The human language of each passage or phrase in the content can be programmatically determined except		of the page is programmatically determinable.
for proper names, technical terms, words of indeterminate language, and words or phrases that have		
become part of the vernacular of the immediately surrounding text.		
3.2.3 Consistent Navigation (Level AA)	Supports	The site provides consistent and repeatable navigation.
Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.		
3.2.4 Consistent Identification (Level AA)	Supports	Components that have the same functionality within the
Components that have the same functionality within a set of Web pages are identified consistently.	Jupports	site are identified consistently.
, , , , , , , , , , , , , , , , , , , ,		·
3.3.3 Error Suggestion (Level AA)	Supports	When an error is automatically detected within a data
If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.		entry form in the site, the resulting error message provides suggestions for correction.
		Remarks and Explanations
Criteria	Conformance Level	
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Not Applicable	No forms within the site submit actions that cause legal
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or		No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:		No forms within the site submit actions that cause legal
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  Reversible: Submissions are reversible.		No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  Reversible: Submissions are reversible.  Checked: Data entered by the user is checked for input errors and the user is provided an opportunity		No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  Reversible: Submissions are reversible.  Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.		No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before		No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  Reversible: Submissions are reversible.  Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.3 Status Messages (Level AA 2.1 only)		No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  • Reversible: Submissions are reversible.  • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  • Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.3 Status Messages (Level AA 2.1 only)  In content implemented using markup languages, status messages can be programmatically determined	Not Applicable	No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in data storage systems.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)  For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:  Reversible: Submissions are reversible.  Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.  Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.  4.1.3 Status Messages (Level AA 2.1 only)	Not Applicable	No forms within the site submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in data storage systems.

#### Table 3: Success Criteria, Level AAA

Notes: Not applicable. The SWIS Suite application was not evaluated for WCAG 2.1 Level AAA conformance.